

**Are you looking for a glue charger
and the ones you saw seemed
all the same?**



**There is one different from all,
so innovative that the others look
like... just yellow bins.**



**It's name is
Easy-charge.**

Here's what's so special about it...



EMMECI ELETTRONICA
BOLOGNA - ITALY

THE BENEFITS OF “EASY-CHARGE”



Cleanliness of the systems

EASY-CHARGE is designed to prevent that external elements can contaminate the glue, ensuring a better performance of the Hot-Melt systems.



Money saving

Lower consumption of spare parts used for maintenance of the Hot-Melt systems, with a reduction of the labor and of downtime.



Productivity improvement

EASY-CHARGE avoids downtime that are due to the lack of glue in the systems.

Optimization

EASY-CHARGE maintains a constant level of glue in the tank, reducing the formation of carbonization and the degradation of the adhesive.

Safety improvement


EASY-CHARGE avoids the manual filling of the Hot-Melt systems by the operators, reducing the risk of burning and avoiding the inhalations of vapor of molten glue.

WHY “EASY-CHARGE” IS NOT AN ORDINARY GLUE FEEDER



Universal

EASY-CHARGE can be installed on any type of Hot-Melt system without affecting the warranty, thanks to the alternate lids supplied with the feeding system.



Up to 4 systems independently

EASY-CHARGE can feed up to 4 independent systems, even of different type, range and brand.




Long-range transport

EASY-CHARGE transports the glue granules up to 20 m (65 ft) far, even overcoming drop heights of 6 m (19 ft). Moreover it can reach 40 m (130 ft) with the optional repeater group.

“EASY-CHARGE” FEATURES



**120 L / 32 gal (US)
TANK CAPACITY**



**ADVANCED
ELECTRONICS**



**AUTO
DIAGNOSTICS**



**EASY TO
INSTALL**



**GRANULES
MIXING BLADE**



**TANK
SAFETY GRID**




**EMERGENCY
BUTTON**



**TANK
AIR FILTER**

THE OPTIONS



EASY-FIL

HOPPER FILTER

It prevents dispersion of molten glue vapors, and protects against dust.



EASY-LAMP

ALARM LAMP

It is useful to signal the alarms from a distance.



EASY-LEVEL

LOW LEVEL CONTROL


It alerts the operator when the granules tank is in reserve.



EASY-LIFT

STAINLESS STEEL SUPPORT

It keeps the tank off the ground, thus facilitating the cleaning, and avoiding to wet the electrical compartment.



EASY-RPT

REPEATER GROUP


As a powerful overboost, it allows to bring the granules farther, up to 40 m (130 ft) throughout.



DL-SMART

A DOOR TO 4.0 INDUSTRY:

consumption statistics,
remote control e
tele-assistanc



Through the DL-SMART option it is possible to have statistics on the adhesive consumption, line stops and all data about the found anomalies. It can be managed remotely using any PC equipped with the specific software provided by Emmeci Elettronica. An App for Android devices is also available; it uses Bluetooth protocol to allow you to manage the programming and diagnostic functions via smartphone or tablet.



EMMECI ELETTRONICA
"IL VALORE AGGIUNTO ALLA TUA IMPRESA"

www.emmeci-elettronica.com
e-mail: info@emmeci-elettronica.com

MADE IN ITALY

Authorized distributor